

The CPT 4200 Series **Cassetype System**

Time-proven reliability, economy and precision.

The CPT 4200 Series is an automated text-editing typing system designed to reduce the cost of typing, decrease turnaround time, provide extensive revision capabilities, and to improve the quality of finished documents. It also allows better use of office personnel and provides convenient, low-cost storage and retrieval of information through the use of magnetic tape cassette recording media.

Rotary II Typewriter

The CPT 4200 Series Cassetype System employs the heavy duty, sphere element Rotary II Typewriter. The sphere element provides the character precision, uniform density and clarity needed to ensure a high quality appearance for every printed document. The Rotary II Typewriter is engineered for rugged use, yet it retains a familiar touch, style and appeal.

Dual Station Console

The CPT 4200 Series stores and retrieves recorded text through a Dual Station Console. Each station will record up to 125,000 characters of information on a single tape cassette. The use of both stations makes up to 250,000 characters accessible. A Search speed of 6000 characters per second enables documents to be located quickly for printing, revising or duplicating. Creation of personalized repetitive letters, documents requiring random information insertion, or reports composed of selected paragraphs can be accomplished easily with the CPT Dual Station Console.

Document Management

Cassettes make document management easy and convenient. They ensure document protection and provide superior storage capacity, holding up to 40 or 50 typed pages. Specs, boilerplate, paragraphs, letters, documents or other information can be located in seconds, and assembled, revised or printed automatically.

Printing

The CPT 4200 Series prints at 175 words per minute, producing an average typed page in less than two minutes...error-free. Interchangeable type fonts, a Correcting Ribbon feature, and a choice of 10 or 12 pitch horizontal spacing enables the CPT 4200 Series to meet a wide range of typing requirements easily.



CPT
CORPORATION

Features

175 WPM Printing speed
Dual Tape Stations
Automatic Switching and Rewinding
125,000 character storage per cassette
400 CPS Duplication speed
Copy control by Word, Line, Paragraph, or Page
Automatic Repeat for all keys
Express key for rapid underlining
Line and Character correcting keys
6000 CPS Search speed
Automatic Margin Adjust
Record Locator
Interchangeable type styles

Options

Visual Memory
Communicator
Correcting Ribbon
Reverse Index
Form Positioner
Photocomposition Interface

Specifications

Rotary II Typewriter

Width	20.5" (52 cm)
Depth	15.5" (39.3 cm)
Height	7.5" (19 cm)
Weight	36.5 lbs. (16.56 kg)
Writing Line	13" (32.5 cm)
Paper Width	15" (38.7 cm)

Dual Station Console

Width	8.5" (21 cm)
Depth	20.5" (52 cm)
Height	12" (30.4 cm)
Weight	37 lbs. (16.79 kg)

Electrical

Voltage	100v - 260v, 50/60 Hz
---------	-----------------------

CPT Corporation reserves the right to change specifications without prior notice.

Word's Getting Around . . . Fast!

CPT

CORPORATION

®

cbm - CAPITAL
BUSINESS MACHINES
160 Roy St - Box 9321
Seattle, WA 98109
(206) 282-3313

1001 Second Street South • Hopkins, Minnesota 55343 • (612) 935-0381
TELEX 29-0775

The CPT 4200 Series **Cassetype System**

Increased productivity, quality and precision.

The CPT 4200 Series is an automated text-editing typing system designed to reduce the cost of typing, decrease turnaround time, provide extensive revision capabilities, and improve the quality of finished documents. It also allows better use of office personnel and provides convenient, low-cost storage and retrieval of information through the use of magnetic tape cassette recording media.

Rotary III Typewriter

The CPT 4200 Series Cassetype System with the Rotary III Typewriter increases word processing productivity through higher print speed and Automatic Format Control. The wheel printing element provides precision character printing ensuring exact registration of information on pre-printed forms. Margin and tab settings entered along with document information on the tape cassette give the Secretary maximum flexibility for producing error-free documents for unattended playback.

Dual Station Console

The CPT 4200 Series stores and retrieves recorded text through a Dual Station Console. Each station will record up to 125,000 characters of information on a single tape cassette. The use of both stations makes up to 250,000 characters accessible. A Search speed of 6000 characters per second enables documents to be located quickly for printing, revising or duplicating.

Creation of personalized repetitive letters, documents requiring random information insertion or reports composed of selected paragraphs can be accomplished easily with the CPT Dual Station Console.

Document Management

Cassettes make document management easy and convenient. They ensure document protection and provide superior storage capacity, holding up to 40 or 50 typed pages. Specs, boilerplate, paragraphs, letters, documents or other information can be located in seconds and assembled, revised or printed automatically.

Printing

The CPT 4200 Series features an electronically driven Rotary Print Wheel element that produces precisely imprinted documents at a rated payout speed of 525 words per minute. The interchangeable Rotary Print Wheels are available in a broad selection of type styles. Other features include both 10 and 12 pitch horizontal spacing and the choice of carbon or fabric ribbons for specific quality and economy needs.



CPT

CORPORATION

Features

- Dual Tape Stations
- Automatic Switching and Rewinding
- 125,000 character storage per cassette
- 400 CPS Duplication speed
- Copy control by Word, Line, Paragraph, or Page
- Automatic Repeat for all keys
- Express key for rapid underlining
- Line and Character correcting keys
- 6000 CPS Search speed
- Automatic Margin Adjust
- Record Locator
- Interchangeable type styles
- Automatic Format Control
- Dual Pitch
- Vertical Tab
- Right or Left Horizontal Tab
- 525 WPM Printing speed

Options

- Visual Memory
- Communicator
- Reverse Index
- Form Positioner
- Photocomposition Interface

Specifications

Rotary III Typewriter

Width	23.5" (59.7 cm)
Depth	20.5" (52 cm)
Height	7.5" (19 cm)
Weight	40 lbs. (18.14 kg)
Writing Line	13" (32.5 cm)
Paper Width	15" (38.7 cm)

Dual Station Console

Width	8.5" (21 cm)
Depth	20.5" (52 cm)
Height	12" (30.4 cm)
Weight	37 lbs. (16.79 kg)

Electrical

Voltage	100v - 260v, 50/60 Hz
---------	-----------------------

CPT Corporation reserves the right to change specifications without prior notice.

Word's Getting Around . . . Fast!

**cbm - CAPITAL
BUSINESS MACHINES**
160 Roy St - Box 9321
Seattle, WA 98109
(206) 282-3313

CPT
CORPORATION

1001 Second Street South • Hopkins, Minnesota 55343 • (612) 935-0381
TELEX 29-0775